

**From:** **Ex. 6 PP / Ex. 7(C)**  
**Sent:** 10/12/2018 4:13:37 PM  
**To:** Hibbard, Stacy [Stacy.Hibbard@portlandoregon.gov]; Parnell, Dan [Dan.Parnell@portlandoregon.gov]  
**CC:** Criblez, Matthew [Matthew.Criblez@portlandoregon.gov]  
**Subject:** RE: Mtg on SoloPower and inspection file

Sure, I'll lean more toward 9am if that's ok. **Ex. 6 PP / Ex. 7(C)**

---

**From:** Hibbard, Stacy [mailto:Stacy.Hibbard@portlandoregon.gov]  
**Sent:** Friday, October 12, 2018 9:11 AM  
**To:** **Ex. 6 PP / Ex. 7(C)** Parnell, Dan <Dan.Parnell@portlandoregon.gov>  
**Cc:** Criblez, Matthew <Matthew.Criblez@portlandoregon.gov>  
**Subject:** RE: Mtg on SoloPower and inspection file

Hi **Ex. 6 PP / Ex. 7(C)**

Would first thing Monday morning work? 8:30 or 9?

**Stacy Hibbard** | Program Manager  
Industrial Stormwater | Maintenance Inspection  
City of Portland | Bureau of Environmental Services  
6543 N Burlington Ave. Portland, OR 97203  
**Ex. 6 PP / Ex. 7(C)**

---

**From:** **Ex. 6 PP / Ex. 7(C)**  
**Sent:** Friday, October 12, 2018 9:05 AM  
**To:** Parnell, Dan <Dan.Parnell@portlandoregon.gov>; Hibbard, Stacy <Stacy.Hibbard@portlandoregon.gov>  
**Cc:** Criblez, Matthew <Matthew.Criblez@portlandoregon.gov>  
**Subject:** RE: Mtg on SoloPower and inspection file

Thanks Dan,

Hi Stacy, mostly just looking to borrow a little time and to review your inspection/permit file on Solopower, possibly make copies if you have an office that permits. I'm out Thurs/Fri next week so early in the week works or the following.  
Thanks **Ex. 6 PP / Ex. 7(C)**

---

**From:** Parnell, Dan [mailto:Dan.Parnell@portlandoregon.gov]  
**Sent:** Thursday, October 11, 2018 4:33 PM  
**To:** **Ex. 6 PP / Ex. 7(C)** Hibbard, Stacy <Stacy.Hibbard@portlandoregon.gov>  
**Cc:** Criblez, Matthew <Matthew.Criblez@portlandoregon.gov>  
**Subject:** RE: Mtg on SoloPower and inspection file

Hi **Ex. 6 PP / Ex. 7(C)**

I'm out of the office tomorrow, but I've included Stacy Hibbard (Industrial Stormwater Manager) and our Manager Matt Criblez (Environmental Compliance Officer). I'm handing you off to Stacy to schedule a time that works for us to meet.

Dan Parnell

Industrial Permitting Manager  
City of Portland  
Water Pollution Control Laboratory  
6543 N. Burlington Ave. Portland, OR 97203  
Office: (503) 823-7568 Mobile: Ex. 6 PP / Ex. 7(C)

---

**From:** Ex. 6 PP / Ex. 7(C)  
**Sent:** Thursday, October 11, 2018 4:07 PM  
**To:** Parnell, Dan <Dan.Parnell@portlandoregon.gov>  
**Subject:** Mtg on SoloPower and inspection file

Hi Dan,

It was nice talking with you. As I mentioned on the phone, Susan Elworth suggested I take a look at SoloPower based on recent events and provided me with some of their enforcement documents. I saw the recent BES inspection Nick Cisney did and thought I should understand the full enforcement history from BES' standpoint and maybe take a look at your inspection file. Ex. 6 PP / Ex. 7(C), I'll preemptively apologize if I ask a lot of questions in understanding Portland's permitting program. I'm open Monday the 15<sup>th</sup> to stop by if both you and your counterpart in the industrial stormwater section are free. If Monday doesn't pan out I'm currently open the week of the 22<sup>nd</sup>. Thanks!

Ex. 6 PP / Ex. 7(C)  
**Special Agent**  
U.S. EPA R10  
805 SW Broadway  
Portland OR 97205

Ex. 6 PP / Ex. 7(C)

WARNING - THE INFORMATION CONTAINED HEREIN MAY INCLUDE LAW ENFORCEMENT SENSITIVE AND/OR PRIVACY ACT INFORMATION, THE FURTHER DISTRIBUTION OF WHICH (BEYOND THE RECIPIENTS TO WHOM IT HAS BEEN ADDRESSED) MAY BE IN VIOLATION OF FEDERAL INFORMATION SECURITY REGULATIONS, CIVIL AND/OR CRIMINAL LAW WITHOUT THE EXPRESSED PRIOR WRITTEN CONSENT TO RELEASE AND/OR DISSEMINATE FURTHER BY THE U.S. EPA-CID. IF YOU ARE NOT THE INTENDED RECIPIENT PLEASE CONTACT THE SENDER BY REPLY E-MAIL AND DESTROY ALL COPIES OF THE ORIGINAL MESSAGE AND ATTACHMENTS.